

POULTRY - 26% STARTER CRUMBLES

Product W602520 Size 20kg

s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis: CRUDE PROTEIN (minimum)..... CRUDE FIBER (maximum)..... 4.0 % 4.0 % CRUDE FAT (minimum)..... CALCIUM (actual)..... PHOSPHOROUS (actual)..... 0.90 % SODIUM (actual)..... 0.18 % VITAMIN E (minimum)..... 100 IU/ka A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

DIRECTIONS FOR USE:

1. Turkeys: Feed from day 1 to 6 weeks of age, then blend 1:1 with Nature?s Best 20% Poultry Starter/Grower until birds are 8 to 9 weeks old. Actual consumption will vary depending on strain and sex. See your Buckerfield?s dealer for more complete details or feeding directions.

s4B CAUTION:

soB 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Soybean Meal, Vegetable Oil, Limestone, Phosphate, Salt, Sodium Bicarbonate, Essential Vitamins and Trace Minerals, Vitamin E, Choline Chloride, Enzyme Supplement



POULTRY - 20% STARTER/GROWER CRUMBLES

Product W602620 Size 20kg

(s19.00h0B) This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis:

CRUDE PROTEIN (minimum)	20.0	8
CRUDE FIBER (maximum)	5.0	ele ele
CRUDE FAT (minimum)	3.0	e e
CALCIUM (actual)	1.2	ele ele
PHOSPHOROUS (actual)	0.70	%
SODIUM (actual)	0.18	8
VITAMIN A (minimum)	12000	IU/kg
VITAMIN D3 (minimum)	3275	IU/kg
VITAMIN E (minimum)	200	IU/kg
A list of ingredients used in this feed may be of	btained	from
the manufacturer or registrant.		

DIRECTIONS FOR USE:

1. Layer Chicks: Feed from day 1 to 6 weeks of age. Start a lighting program during this period. Meat Type Chicks: Feed from day 1 to 3 weeks of age. Turkeys: Blend this feed with Nature?s Best 26% Starter Crumbles as the sole diet at a ratio of 1:1 to turkey Poults between 6-9 weeks of age. At 9 weeks, offer this feed as the sole diet until birds are 12 weeks of age. See your Buckerfield?s dealer for more complete details or feeding directions.

(s4B CAUTION:

(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Soybean Meal, Limestone, Phosphate, Vegetable Oil, Salt, Vitamin E, Sodium Bicarbonate, L-Lysine, Essential Vitamins and Trace Minerals, Choline Chloride, Enzyme Supplement



POULTRY - 20% STARTER/GROWER CRUMBLE MEDICATED

Product W601620 Size 20kg

(s19.00h0B Medicated with 125 mg/kg Amprolium as an aid in prevent of deaths from Coccidiosis in broiler chickens.

This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis:

CRUDE PROTEIN (minimum)) %
CRUDE FIBER (maximum)4.0) %
CRUDE FAT (minimum)) %
CALCIUM (actual)) %
PHOSPHOROUS (actual)) %
SODIUM (actual)	8
VITAMIN A (minimum)	IU/kg
VITAMIN D3 (minimum)	IU/kg
VITAMIN E (minimum)4	IU/kg
A list of ingredients used in this feed may be obtained	from
the manufacturer or registrant.	

DIRECTIONS FOR USE:

1. Feed continuously this starter ration from day 1 to 21 days of age. Feed should be changed slowly over 3-5 days when switching to grower feed. Once chicks have reached 21 days of age, feed Bucks 18% grow / finish crumbles until the birds reach 42 days of age, then switch to Bucks 15% grow / finish coarse crumbles until the birds reach a suitable age for marketing. Always provide ample clean, fresh water.

(s4B WARNING:

(s0B 1. Do not feed to laying birds in production/Ne pas distribuer a des pondeuses qui sont en production.

(s4B CAUTION:

- (s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.
- 2. Do not use amprolium medicated feeds as treatment for outbreaks of Coccidiosis/Ne pas utiliser d'aliments

medicamentes a l'amprolium pour combattre des epidemies de coccidiose.

3. If unexpected deaths occur, obtain an accurate diagnosis and follow a veterinarian's or poultry pathologist's recommendations/En cas de deces inattendus, obtenir un diagnostic exact, et suivre les instructions d'un veterinaire ou d'un pathologiste aviaire.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Soybean Meal, Limestone, Vegetable Oil, Phosphate, Salt, Sodium Bicarbonate, L-Lysine, Essential Vitamins and Trace Minerals, Choline Chloride, Amprolium, Enzyme Supplement



POULTRY - 18% GROWER/FINISHER CRUMBLE

Product W601720 Size 20kg

(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis: CRUDE PROTEIN (minimum)..... CRUDE FIBER (maximum)..... CRUDE FAT (minimum)..... 3.0 % CALCIUM (actual)..... 1.0 % SODIUM (actual)..... 4000 IU/kg VITAMIN D3 (minimum)..... VITAMIN E (minimum)..... 40 IU/ka A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

DIRECTIONS FOR USE:

 Feed to poultry as the sole ration from nine weeks to 14 weeks of age for replacement laying chickens and from 3-4 weeks of age for meat strains when nonmedicated feeds are warranted. Poultry should have access to drinking water at all times.

(s4B CAUTION:

(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Soybean Meal, Limestone, Vegetable Oil, Phosphate, Salt, L-Lysine, Essential Vitamins and Trace Minerals, Choline Chloride, Sodium Bicarbonate, Enzyme Supplement



POULTRY - 16% GROWER/FINISHER PELLETS

Product W601820 Size 20kg

(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis:

-		
CRUDE PROTEIN (minimum)	16.0	olo
CRUDE FIBER (maximum)	6.0	olo
CRUDE FAT (minimum)	3.0	olo
CALCIUM (actual)	1.0	olo O
PHOSPHOROUS (actual)	0.70	olo O
SODIUM (actual)	0.18	8
VITAMIN A (minimum)	10000	IU/kg
VITAMIN D3 (minimum)	2500	IU/kg
VITAMIN E (minimum)	30	IU/kg
A list of ingredients used in this feed may be o	btained	from
the manufacturer or registrant.		

DIRECTIONS FOR USE:

1. Feed to chickens as the sole ration from 8 weeks of age to market or until just before layer-type birds are expected to begin egg production. Feed to turkeys from 12 weeks of age until market. Recommended as the final grower feed for egg-type or breeder birds, or as a finisher for meat type birds.

(s4B CAUTION:

(s0B l. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Soybean Meal, Limestone, Phosphate, Vegetable Oil, Salt, L-Lysine, Sodium Bicarbonate, Essential Vitamins and Trace Minerals, Choline Chloride, Enzyme Supplement



POULTRY - 18% FREE RANGE LAYER CRUMBLE

Product W601920 Size 20kg

(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis:

CRUDE PROTEIN (minimum)	e e
CRUDE FIBER (maximum)	8
CRUDE FAT (minimum)	8
CALCIUM (actual)	8
PHOSPHOROUS (actual)	8
SODIUM (actual)	8
VITAMIN A (minimum)	IU/kg
VITAMIN D3 (minimum)	IU/kg
VITAMIN E (minimum)	IU/kg
A list of ingredients used in this feed may be obtained	from
the manufacturer or registrant.	

DIRECTIONS FOR USE:

1. Breeder Hens: Feed to Breeder Hens from the onset of lay. Feed Oyster Shell if required for egg shell quality. Free Range Layers: Feed to Free Range Layers from the onset of lay. Feed Oyster Shell if required for egg shell quality. Limit dilution with scratch grains. An additional source of calcium such as oyster shell may be required if scratch grains are fed. Provide clean, fresh drinking water at all times.

(s4B CAUTION:

(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or quarantee individual results.

Ingredients:

Wheat, Soybean Meal, Limestone, Vegetable Oil, Phosphate, Salt, Sodium Bicarbonate, Essential Vitamins and Trace Minerals, Choline Chloride, Enzyme Supplement



POULTRY - 18% LAYER PELLETS

Product W602020 Size 20kg

(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis: CRUDE PROTEIN (minimum)..... 18.0 % CRUDE FIBER (maximum)..... 5.0 % CRUDE FAT (minimum)..... 2.5 % CALCIUM (actual)..... PHOSPHOROUS (actual)..... SODIUM (actual)..... 0.16 % VITAMIN A (minimum)..... 12000 IU/kg VITAMIN D3 (minimum)..... 3000 IU/kg VITAMIN E (minimum)..... 30 IU/kg A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

DIRECTIONS FOR USE:

1. Feed Buckerfield's 18% Layer Pellets as the sole ration to laying hens. Feed oyster shell if required for eggshell quality. Provide clean, fresh drinking water at all times.

(s4B CAUTION:

(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Soybean Meal, Limestone, Corn, Vegetable Oil, Phosphate, Salt, Sodium Bicarbonate, Essential Vitamins and Trace Minerals, Choline Chloride, Enzyme Supplement



POULTRY - 16% LAYER PELLETS

Product W602120 Size 20kg

[(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis: CRUDE PROTEIN (minimum)..... CRUDE FIBER (maximum)..... 5.0 % CRUDE FAT (minimum)..... 2.5 % CALCIUM (actual).... 3.8 % PHOSPHOROUS (actual)..... SODIUM (actual)..... 3125 IU/kg VITAMIN D3 (minimum)..... VITAMIN E (minimum)..... 40 IU/ka A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

DIRECTIONS FOR USE:

1. Feed Buckerfield's 16% Layer Pellets as the sole ration to laying hens. Feed oystershell if required for eggshell quality. Provide clean, fresh drinking water at all times

[(s4B CAUTION:

[(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Wheat, Corn, Soybean Meal, Limestone, Vegetable Oil, Phosphate, Salt, Essential Vitamins and Trace Minerals, Choline Chloride, L-Threonine, Sodium Bicarbonate, Enzyme Supplement



POULTRY - 17% DUCK & GOOSE PELLETS

Product W602320 Size 20kg

(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis: CRUDE PROTEIN (minimum)..... CRUDE FIBER (maximum)..... 5.0 % CRUDE FAT (minimum)..... 3.5 % CALCIUM (actual)..... 0.9 % SODIUM (actual)..... 0.20 % VITAMIN A (minimum)..... 10000 IU/kg VITAMIN E (minimum)..... 40 IU/kg A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

DIRECTIONS FOR USE:

1. Ducks: Buckerfield's 17% Goose/Duck Grower Pellets may be fed to ducks from 4 weeks to market weight. Geese:
Buckerfield's Goose/Duck Grower Pellets may be fed to geese from 9 weeks to market weight. Additional whole grains may be offered up to 25% of daily feed intake. Note: Geese are very good foragers. If grass and other forages are available for grazing, Buckerfield's 17% Goose/Duck Grower Pellets may be restricted to 1 kg per bird per week from the age of 4 weeks to 12 weeks of age. After this age, Buckerfield's 17% Goose/Duck Grower Pellets may be offered free choice diluted with up to 25% whole grains until market age. #2 Grit should be fed to both geese and ducks in the amount of 1 kg per 100 birds per week from day 1 until market. Provide clean, fresh water at all times.

(s4B CAUTION:

(s0B l. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or

quarantee individual results.

Ingredients:

Wheat, Soybean Meal, Millrun. (Wheat), Limestone, Vegetable Oil, Phosphate, Salt, L-Lysine, Essential Vitamins and Trace Minerals, Sodium Bicarbonate, Choline Chloride, L-Threonine, Enzyme Supplement



POULTRY - HEN SCRATCH

Product W604720 Size 20kg

(s19.00h0B	Guaranteed Analysis:		
CRUDE PROTE	CIN (minimum)	10.0	of o
CRUDE FIBER	R (maximum)	5.0	e e
CRUDE FAT	(minimum)	3.0	å
Ingredients	::Whole Wheat, Whole Oats, Cracked Corn,	Veg 0	il

DIRECTIONS FOR USE:

1. Feed Buckerfield'a Multipurpose Poultry Grain Supplement Hen Scratch as a source ofgrains and do not exceed 5 grams per bird per day. Feed complete poultry feed with Buckerfield's Multipurpose Grain Supplement Hen Scratch.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Whole Wheat, Cracked Corn, Whole Oats, Vegetable Oil



POULTRY - CHICK SCRATCH

Product W604820 Size 20kg

(s19.00h0B Guaranteed Analysis:	
CRUDE PROTEIN (minimum)	10.0 %
CRUDE FIBER (maximum)	5.0 %
CRUDE FAT (minimum)	3.0 %
Ingredients:Cracked Wheat, Cracked Barley, Cracked	Corn, Veg
Oil	

DIRECTIONS FOR USE:

1. Feed Buckerfield's Multipurpose Poultry Grain Supplement Chick Scratch as a source of grains and do not exceed 5 grams per bird per day. Feed complete poultry feed with Buckerfield's Multipurpose Poultry Grain Supplement Chick Scratch.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Ground Wheat, Ground Barley, Cracked Corn, Vegetable Oil



16% FULL FLOW DAIRY TEXT

Product W600120 Size 20kg

] (s19.00h0B This feed contains added selenium at 0.60 mg/kg.

Guaranteed Analysis: 16.0 % CRUDE PROTEIN (minimum) 16.0 % CRUDE FIBER (maximum) 8.2 % CRUDE FAT (minimum) 4.2 % CALCIUM (actual) 1.5 % PHOSPHOROUS (actual) 0.47 % SODIUM (actual) 0.50 % VITAMIN A (minimum) 11600 IU/kg VITAMIN D3 (minimum) 2639 IU/kg VITAMIN E (minimum) 87 IU/kg A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

DIRECTIONS FOR USE:

Feed to milking cows along with high quality roughage.
 Feed according to a nutritionist's specific recommendations and always within the range of feeding weights shown in the FEEDING TABLE below.

To prevent over-supplementation of selenium, do not exceed the feeding guidelines in the FEEDING TABLE (below):

```
FEEDING TABLE (KG Per Animal)
Body Weight: 400 500 600 700
Total DMI: 14.4 17.5 21.0 22.4
Complete Feed 6.83 8.31 9.98 10.63
```

] (s4B CAUTION:

-] (s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.
 - 2. Do not use this feed in association with another feed containing supplemental selenium. -- N'utilisez pas cet aliment en association avec un autre aliment contenant du selenium supplementaire

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation

differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Canola Meal, Flaked Corn, Wheat, Soyhulls, Millrun (Wheat), Corn Distillers, Flaked Barley, Barley, Limestone, Molasses, Salt, Vegetable Oil, Magnesium Oxide, Essential Vitamins and Trace Minerals, Selenium, Vitamin E



15% SHEEP TEXT

Product W600220 Size 20kg

(s19.00h0B This feed contains added selenium at 0.30 mg/kg.

Guaranteed Analysis:

CRUDE PROTEIN (minimum)	S
CRUDE FIBER (maximum)8.2	8
CRUDE FAT (minimum)	8
CALCIUM (actual)	윻
PHOSPHOROUS (actual)	윻
SODIUM (actual)	윻
VITAMIN A (minimum)	IU/kg
VITAMIN D3 (minimum)	IU/kg
VITAMIN E (minimum)	IU/kg
A list of ingredients used in this feed may be obtained	from
the manufacturer or registrant.	

DIRECTIONS FOR USE:

Designed to be fed to sheep and lambs at up to 1 kg (2.2 lbs) per head per day. Feed along with good quality pasture or hay. Ensure that fresh, clean water is always available. Do not feed in association with another feed or mineral containing added copper, since sheep are very sensitive to copper at levels that are not a concern for other species.

[(s4B CAUTION:

- (s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.
 - 2. Do not use this feed in association with another feed containing supplemental selenium. — N'utilisez pas cet aliment en association avec un autre aliment contenant du selenium supplementaire

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or quarantee individual results.

Manufactured for Buckerfield's Country Stores 5410 Trans Canada Highway, Duncan, B.C. V9L 3X1

Ingredients:

Flaked Corn, Wheat, Canola Meal, Corn Distillers, Millrun (Wheat), Soyhulls, Flaked Barley, Molasses, Limestone, Barley, Salt, Molasses, Vegetable Oil, Magnesium Oxide, Phosphate, Vitamin E, Essential Vitamins and Trace Minerals, Selenium



16% GOAT TEXT

Product W600320 Size 20kg

(s19.00h0B This feed contains added selenium at 0.30 mg/kg. Guaranteed Analysis: CRUDE PROTEIN (minimum)..... CRUDE FIBER (maximum)..... 9.9 % 4.3 % CRUDE FAT (minimum)..... CALCIUM (actual)..... 0.9 % PHOSPHOROUS (actual)..... SODIUM (actual)..... 0.30 % 8399 IU/kg VITAMIN A (minimum)..... VITAMIN E (minimum)..... 99 IU/kg A list of ingredients used in this feed may be obtained from the manufacturer or registrant. DIRECTIONS FOR USE: 1. Feed up to 2.5% body weight along with good quality forage, fresh water and a salt source freely available, for optimal performance. CAUTION: [(s4B Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies. 2. Do not use this feed in association with another feed containing supplemental selenium .-- N'utilisez pas cet aliment en association avec un autre aliment contenant du selenium supplementaire Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Canola Meal, Flaked Corn, Wheat, Millrun (Wheat), Timothy Meal, Corn Distillers, Soyhulls, Flaked Barley, Molasses, Limestone, Vegetable Oil, Salt, Magnesium Oxide, Vitamin E, Essential Vitamins and Trace Minerals, Selenium



15% LLAMA TEXT

Product W600420 Size 20kg

[(s19.00h0B This feed contains added selenium at 2.20 mg/kg.

Guaranteed Analysis: CRUDE PROTEIN (minimum)..... CRUDE FIBER (maximum)..... 13.2 % CRUDE FAT (minimum)..... 3.4 % CALCIUM (actual)..... 1.9 % PHOSPHOROUS (actual)..... 0.80 % SODIUM (actual)..... VITAMIN A (minimum)..... 19999 IU/kg 4837 IU/kg VITAMIN D3 (minimum)..... VITAMIN E (minimum)..... 499 IU/kg A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

[] (s4B CAUTION:

- [(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.
 - 2. Do not use this feed in association with another feed containing supplemental selenium. -- N'utilisez pas cet aliment en association avec un autre aliment contenant du selenium supplementaire

Feed this complete feed at a rate of 1% of body weight per day, from 2 weeks of age onward. Feed alongside fresh water and forages.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or quarantee individual results.

Ingredients:

Canola Meal, Soyhulls, Flaked Corn, Wheat, Timothy Meal, Flaked Barley, Millrun (Wheat), Molasses, Limestone, Phosphate, Vegetable Oil, Vitamin E, Salt, Selenium, Magnesium Oxide, Essential Vitamins and Trace Minerals



15% HOG & SOW PELLETS

Product W600520 Size 20kg

|(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis:	
CRUDE PROTEIN (minimum)	0 %
CRUDE FIBER (maximum)8.	0 %
CRUDE FAT (minimum)	8 %
CALCIUM (actual)	0 %
PHOSPHOROUS (actual)	0 %
SODIUM (actual)	0 %
VITAMIN A (minimum)	0 IU/kg
VITAMIN D3 (minimum)	0 IU/kg
VITAMIN E (minimum)	0 IU/kg
A list of ingredients used in this feed may be obtaine	d from
the manufacturer or registrant.	

DIRECTIONS FOR USE:

1. Feed 15% Hog and Sow pellets free choice as the sole diet to growing and finishing hogs from 10 weeks to market. For lean carcass hogs, this feed may be restricted to 2.5 kg per hog per day in summer and 3 kg per hog per day in winter after hogs have reached 18 weeks of age or 57 kg of body weight. Offer 15% Hog and Sow pellets to dry sows at a rate of 1.8 to 2.2 kg per head per day depending on body weight and condition. Lactating sows should be full fed. Provide clean fresh water.

(s4B CAUTION:

(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or quarantee individual results.

Ingredients:

Barley, Millrun (Wheat), Soybean Meal, Limestone, Vegetable Oil, L-Lysine, Dicalcium Phosphate, Salt, Magnesium Oxide, Sodium Bicarbonate, Essential Vitamins and Trace Minerals, L-Threonine, Selenium, Methionine, Vitamin E, Choline Chloride, Enzyme Supplement



MINI PIG PELLETS

Product W600920 Size 20kg

(s19.00h0B This feed contains added selenium at 0.3 mg/kg.

Guaranteed Analysis:	
CRUDE PROTEIN (minimum)	
CRUDE FIBER (maximum)	
CRUDE FAT (minimum)	
CALCIUM (actual)	
PHOSPHOROUS (actual)	
SODIUM (actual) 0.20 %	
VITAMIN A (minimum)	J/kg
VITAMIN D3 (minimum)	J/kg
VITAMIN E (minimum)	J/kg
A list of ingredients used in this feed may be obtained fr	rom
the manufacturer or registrant.	

DIRECTIONS FOR USE:

 Feed as the sole ration to adult Miniature, Pot Bellied, Tea Cup and Exotic pigs. This diet is intended to maintain body weight, feed at around 1-2 percent of body weight per day depending on body condition and level of activity.
 Always provide free access to fresh, clean water.

(s4B CAUTION:

(s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.

Manufactured for Buckerfield's Country Stores 5410 Trans Canada Highway, Duncan, B.C. V9L 3X1

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Soyhulls, Millrun (Wheat), Barley, Soybean Meal, Phosphate, Limestone,
Vegetable Oil, Lysine, Salt, Magnesium Oxide, Essential Vitamins and Trace
Minerals, Vitamin E, L-Threonine, Methionine, Selenium, Sodium Bicarbonate, LTryptophan, Choline Chloride, Enzyme Supplement



12% RABBIT PELLETS

Product W600620 Size 20kg

(s19.00h0B Guaranteed Analysis:	
CRUDE PROTEIN (minimum)	2 %
CRUDE FIBER (maximum)	5 %
CRUDE FAT (minimum)) %
CALCIUM (actual)	1 %
PHOSPHOROUS (actual)) %
SODIUM (actual)) %
VITAMIN A (minimum)	U/kg
VITAMIN D3 (minimum)	/ IU/kg
VITAMIN E (minimum)6	i IU/kg
A list of ingredients used in this feed may be obtained	i from
the manufacturer or registrant.	

DIRECTIONS FOR USE:

 This feed is meant to be fed free-choice to rabbits as a maintenance ration. Feed alongside fresh legume-type hay and maintain a constant supply of fresh drinking water.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Soyhulls, Millrun (Wheat), Timothy Meal, Barley, Limestone, Molasses, Salt, Vegetable Oil, Phosphate, Magnesium Oxide, Essential Vitamins and Trace Minerals



16% RABBIT PELLETS

Product W600720 Size 20kg

(s19.00h0B Guaranteed Analysis:	
CRUDE PROTEIN (minimum)	olo
CRUDE FIBER (maximum)	ele ele
CRUDE FAT (minimum)	8
CALCIUM (actual)	8
PHOSPHOROUS (actual)	8
SODIUM (actual)	8
VITAMIN A (minimum)	IU/kg
VITAMIN D3 (minimum)	IU/kg
VITAMIN E (minimum)	IU/kg
A list of ingredients used in this feed may be obtained	from
the manufacturer or registrant.	

DIRECTIONS FOR USE:

 Feed this complete feed free-choice to rabbits, from 10+ weeks of age to market ready. Feed alongside fresh legume-type hay and maintain a constant supply of fresh drinking water.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Soyhulls, Millrun (Wheat), Canola Meal, Timothy Meal, Molasses, Limestone, Vegetable Oil, Salt, Magnesium Oxide, Essential Vitamins and Trace Minerals



14% COMPLETE HORSE PELLETS

Product W600820 Size 20kg

(s19.00h0B This feed contains added selenium at 0.40 mg/kg.

Guaranteed Analysis:

CRUDE PROTEIN (minimum)	
CRUDE FIBER (maximum)	
CRUDE FAT (minimum)	
CALCIUM (actual)	
PHOSPHOROUS (actual)	
SODIUM (actual)	
VITAMIN A (minimum)	/kg
VITAMIN D3 (minimum)	/kg
VITAMIN E (minimum)	/kg
A list of ingredients used in this feed may be obtained fr	om
the manufacturer or registrant.	

DIRECTIONS FOR USE:

1. Feed 2.5 kg to 5 kg of Buckerfields 14% Complete Horse Pellet per 500 kg of bodyweight to horses daily, according to individual needs. For best results, divide this amount into 2-3 feedings per day, without exceeding 2.25kg per feeding. Offer salt free choice along with clean fresh water, and ample access to quality forage.

(s4B WARNING:

| (s0B 1. This feed contains supplemental copper. Do not feed to sheep or other copper sensitive species. Cet aliment contient du cuivre supplémentaire. Ne pas nourrir les moutons ou d'autres espèces sensibles au cuivre.

(s4B CAUTION:

- (s0B 1. Directions for use must be carefully followed. Les instructions d'utilisation doivent etre soigneusement suivies.
 - Do not feed with other supplemental sources of copper, zinc or selenium. -- Ne pas nourrir avec d'autres sources supplémentaires de cuivre, de zinc ou de sélénium.

Individual results from the use of this product may vary due to management, environment, genetic, health and sanitation

differences, therefore, Buckerfield's does not warrant or guarantee individual results.

Ingredients:

Soyhulls, Millrun (Wheat), Barley, Beet Pulp, Canola Meal, Soybean Meal, Molasses, Limestone, Salt, Essential Vitamins and Trace Minerals, Phosphate, Flax Oil